

OFFICIAL
Kunzler & Associates
8 East Broadway
Suite 600
Salt Lake City, UT 84111
Phone (801) 994-4646
Fax (801) 531-1929

RECEIVED
CENTRAL FAX CENTER

JUN 10 2004

FAX COVER SHEET

Date: June 10, 2004
Fax: (703) 872-9306
To: U.S. Patent and Trademark Office
From: Brian C. Kunzler
Re: Patent application No. 10/083,286

Number of Pages including cover: 12

Please contact me if there is a problem with this transmission.

Comments:

RECEIVED
CENTRAL FAX CENTER
OFFICIAL JUN 10 2004

CERTIFICATE OF TRANSMISSION

I hereby certify that this correspondence is being transmitted by fax to the U.S. Patent and Trademark office to fax number 703-872-9306, on June 10, 2004.


Attorney for Applicant

PATENTDocket No. 2080.2.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Steven Lee Harris)
Serial No.: 10/083,286)
Filed: February 26, 2002) Group Art
For: IRRIGATION SYSTEM PERIPHERAL) Unit: 3752
COMMUNICATIONS USING VALVE CONTROL)
WIRES)
Examiner: Robin Octavia Evans

SUPPLEMENTAL AMENDMENT AND RESPONSE TO RESTRICTION REQUIREMENT

Commissioner for Patents
P.O. BOX 1450
Alexandria, VA 22313-1450

Dear Examiner:

In response to the Restriction Requirement mailed on March 19, 2004, Applicant submits the following amendments and respectfully requests the reconsideration of the restriction requirement in view of the following remarks. Please disregard the office action response transmitted on 5/19/04. This document is intended to supersede that response and is directed to correcting unintended errors in that document, and specifically in the amended claims 7 and 8.